STATUTORY INSTRUMENTS

1974 no. 1919

MERCHANT SHIPPING

THE MERCHANT SHIPPING (RADIO) (FISHING VESSELS) RULES 1974

Made 18^{th} November 1974Laid before Parliament 27^{th} November 1974Coming into Operation 1^{st} January 1975

Text of the Rules as they have effect in the Isle of Man. Amendments are indicated by *bold italics*

Manx Extending Instrument	UK S.I. Applied
1.The Fishing Vessel (Safety Provisions) Subsidiary Legislation (Application) Rules 1977 GC75/77	S.I. 1974 No. 1919
2.The Fishing Vessels (Safety Provisions) Subsidiary Legislation (Application) Rules 1994 (SD538/94)	S.I. 1994 No. 1104

Amended by	SD Number
1. The Transfer of Function (Marine Administration) Order 1997	SD 51/97
2. Fishing Vessel (Radio) Regulations 2006	SD72/06

Price £1.50

ARRANGEMENT OF RULES

PART I - GENERAL

Rule		Page
1.	Citation, commencement, interpretation, revocation and transitional provisions	3
2.	Application of the Rules	5
	PART II - RADIO EQUIPMENT AND INSTALLATIONS	
3.	Provision of radio installations	5
4.	Provision of electrical energy	6
5.	Interference with reception	7
6.	Provision of aerials	8
7.	Range of radio installation	8
8.	Radio station miscellaneous requirements	8
	PART III	
I	PROVISION, QUALIFICATIONS AND DUTIES OF RADIO OPER	RATORS
9.	Provision of radio operators	10
10.	Qualifications of radio operators	10
11.	Radio Watch	11
12.	Duties of radio operators	12
13.	Radio log book	12

PART IV - PORTABLE RADIO EQUIPMENT

14.	Provision of portable radio equipment	13
15	Testing of portable radio equipment	13
SCH	EDULES	
1.	Transitional Provisions	14
2.	Limits of area required in connection with Rule 2(2)	16
3.	Radiotelephone installation:	17
	Part I: Main radio telephone installation	
	Part II: Radiotelephone alarm signal generating device	
	Part III: Radiotelephone loudspeaker watchkeeping receiver	
	Part IV - Reserve Radiotelephone Installation	
4.	Radiotelegraph installation :	18
	Part I : Radiotelegraph transmitter	
	Part II: Radiotelegraph receiver	
	Part III: Radiotelegraph automatic keying device	
	Part IV: Radiotelegraph automatic alarm	
5.	Portable radio equipment for use in lifeboats and liferafts	19
6.	Radio log book.	20

The Secretary of State, after consulting with the organisations referred to section 85(3) of the Merchant Shipping Act 1970, in exercise of the powers conferred by section 3 of the Merchant Shipping (Safety Convention) Act 1949¹ as having effect by virtue of section 85(1) of , and Schedule 1 to, the said Act of 1970, and section 10(1) of the Merchant Shipping Act 1964² and now vested in him³ and of all other powers enabling him in that behalf, hereby makes the following Rules:-

PART I - GENERAL

Citation, commencement, interpretation, revocation and transitional provisions

- 1.- (1) These Rules may be cited as the Merchant Shipping (Radio) (Fishing Vessels) Rules 1974 [...].
- (2) The Interpretation Act 1889 shall apply for the interpretation of these Rules as it applies for the interpretation of an Act of Parliament and as if these Rules and the Rules hereby revoked were Acts of Parliament.
- (3) Any certificate of proficiency or competence in radiotelephony or radiotelegraphy or any authority to operate a wireless telegraphy station or a radiotelephone station established on a ship, being a certificate or authority granted, issued or having effect under the Rules revoked by these Rules and in force at the date of the coming into operation of these Rules shall remain in force and shall have effect for the purposes of these Rules as if it has been issued under the corresponding provisions thereof:

Provided that any such certificate or authority which is expressed to remain in force for a definite period shall remain in force, unless renewed, only until the expiration of that period.

(4) In these Rules, unless the context otherwise requires, the following expressions shall have the meanings respectively assigned to them, that is to say -

"Existing installation" means

- (a) an installation wholly installed before the date on which these Rules come into operation; and
- (b) an installation part of which was installed before the said date and the rest of which consists either of parts installed in replacement of identical parts, or parts which comply with the relative requirements of these Rules:
- "Fishing vessel" means a vessel which is for the time being employed in sea fishing, but does not include a vessel used otherwise than for profit;
- "Interference" has the same meaning as in the Wireless Telegraphy Act 1949⁴

-

¹ 1949 c. 43

² 1964 c. 47

³ See S.I. 1965/145 and S.I. 1970/1537 (1965 I, p. 438; 1970 III, p. 5293).

⁴ 1949 c. 54

"Length" in relation to a fishing vessel means its registered length;

"Mile" means the international nautical mile of 1852 metres;

- "Normal range of transmission" means that distance at which the field strength set up by an unmodulated carrier over sea, by day, under normal conditions
 - in the case of radiotelephone transmitters is at least 25 (a) microvolts per metre on a frequency of 2182 kHz
 - (b) in the case of radiotelegraph transmitters is at least 50 microvolts per metre on a frequency of 500 kHz;

"Radio watch" means listening for signalling on the frequencies specified in Rules 11 and 11A

"Silence periods" means the periods of 3 minutes beginning for the purposes of radiotelegraphy at 15 minutes and at 45 minutes after each hour, and for the purposes of radiotelephony at each hour and at 30 minutes after each hour, in every case determined according to Greenwich Mean Time.

"Specified" (Omitted by S.I. 1994/1104).

- (5) The Merchant Shipping (Radio) (Fishing Boats) Rules 1965⁵ and the Merchant Shipping (Radio) (Fishing Boats) (Amendment) Rules 1969⁶ are hereby revoked.
- (6) Schedule 1 to these Rules shall have effect during the transition to the provisions of these Rules from the law in force at the date these Rules come into operation.

Application of the Rules

These Rules apply to fishing vessels of 24 metres or more in length to less than 45 metres length engaged only on voyages wholly within the area specified in Schedule 2 to these Rules registered in the *Isle of Man*.

PART II

⁵ S.I. 1965/1108 (1965 II, p. 3108) ⁶ S.I. 1969/1316 (1969 III, p.3925).

RADIO EQUIPMENT AND INSTALLATIONS

Provision of radio installations

- 3.- (1) The provisions of this Rule shall have effect subject to the provisions of paragraphs 1 to 9 of Schedule 1 to these Rules.
- (3) Every fishing vessel shall be provided with a radiotelephone installation which shall include the equipment specified in Parts I, II, III and IV of Schedule 3 to these Rules. The main and reserve radiotelephone installations as required by that Schedule shall be electrically independent of each other.
- (5) A radiotelephone equipment which is a part of a combined radiotelegraph and radiotelephone installation may be regarded for the purposes of these Rules as either the main or the reserve radiotelephone installation required by the said Schedule 3 if it complies with all the requirements of these Rules applicable to such main, or to such reserve, radiotelephone installations, as the case may be.
- (6) Every fishing vessel to which these Rules apply shall on or after 1st December 1994 be provided, in addition to the radiotelephone required by paragraphs (2) to (4) above, with a VHF radiotelephone installation which shall include a transmitter and receiver. This equipment, if fitted on or after 1st December 1994, shall conform to the performance standard specified in Merchant Shipping Notice No. M 928.

(Paragraph (6) is inserted by S.I. 1994/1104)

Provision of electrical energy

- 4.- (1) There shall be provided in every fishing vessel to which these Rules apply, at all times while the vessel is at sea and at all reasonable times when it is in port, a supply of electrical energy suitable and sufficient for the operation of the radio installation in accordance with these Rules, for the purpose of testing the said installation and for the charging of any battery which is a source of electrical energy for it. The supply of electrical energy shall be maintained at a voltage within plus or minus 10 per cent of the voltage designated for the source of supply.
- (2) Subject to the provisions of paragraph 10 of Schedule 1 to these Rules, a reserve source of electrical energy, independent of the propelling power of the fishing vessel and of the fishing vessel's main electrical installation shall be provided and, where reasonably practicable, shall be situated in the upper part of the fishing vessel. This source of electrical energy, which may consist of the battery referred to in paragraph (1) above, shall be capable of being brought into immediate operation by means of a readily accessible switchboard. It shall be maintained at all times while the vessel is at sea in such condition as to be capable of supplying continuously for a period of at least 6 hours -
 - (a) a total current equal to the sum of
 - (i) one half of the current required to operate one radiotelephone transmitter for the transmission of speech,
 - (ii) the current required to operated one radiotelephone receiver,
 - (iii) the current consumed by lighting required by Rule 8(3)(c) of

these Rules.

- (iv) the current consumed by any other equipment or installation which is supplied by the reserve source of electrical energy; *and*
- (v) the current consumed by the VHF radiotelephone receiver and one fifth of the current consumed by the VHF radiotelephone transmitter.

(Subparagraph (v) is inserted by S.I. 1994/1104)

- (3) Adequate means shall be provided on board every fishing vessel to which these Rules apply for the charging of batteries provided as a source of electrical energy for the operation of the radio installation.
- (4) When any battery provided for a radio installation is not in use, it shall be capable of being fully charged within a period of not more than 16 hours by the means of charging required by paragraph (3) of this Rule.

Interference with reception

- 5.- (1) At no time while the fishing vessel is at sea shall any interference or mechanical noise produced by the radio installation required by these Rules or by other equipment in the fishing vessel be such as to prevent the effective reception of radio signals by means of that installation.
- (2) Any fishing vessel which is provided with a radiotelegraph installation in accordance with these Rules shall also be provided with a communal aerial system for all broadcast receivers in respect of which it is not reasonably practicable to erect efficient and properly installed aerials which do not interfere with the efficiency of that radiotelegraph installation.
- (3) The radio installation shall be adequately earthed. The earthing of radio equipment installed in vessels which have non-metallic hulls shall not be connected to the vessel's machinery.

Provision of aerials

- 6.- (1) Every fishing vessel to which these Rules apply shall be fitted with [...] aerials suitable for use with the radio equipment installed. In addition every fishing vessel shall carry -
- (a) if the main aerial is a supported wire aerial, a spare aerial completely assembled for rapid replacement of the main aerial; or
 - (b) if the main aerial is not a supported wire aerial, a spare wire aerial of similar electrical characteristics.
- (2) A rigging plan of the fitted [...] aerials shall be available on board every fishing vessel to which these Rules apply and shall show -

- (a) elevation and plan views of the rigged aerial or aerials; and
- (b) the linear measurement of [...] such aerials expressed in metres.

Range of radio installation

- 7. The normal range of transmission of the radio installation provided in accordance with the foregoing provisions of these Rules shall not be less than -
 - (b) 150 miles for the main radiotelephone installation and 100 miles for the reserve radiotelephone installation;

Radio station miscellaneous requirements

- 8.- (1) The radio installation required by these Rules shall be installed as near as reasonably practicable to the place on board where the radio watch on a frequency of 2182 kHz is maintained.
 - (2) In fishing vessels -
 - (b) radiotelegraph equipment installed in accordance with these Rules shall be fitted in one or more radiotelegraph rooms. A radiotelegraph room shall not be used for any purpose other than those associated with the functions and duties of the radiotelegraph operator, and shall be of sufficient dimensions to ensure efficient operation at all times of the radio equipment installed therein and shall be adequately ventilated;
 - (c) an efficient two-way means of communication, independent of the fishing vessel's main communication system and main source of electrical energy, shall be provided between the place or places at which radio equipment is installed and any other place from which the fishing vessel is normally navigated;
 - (d) a chair capable of being secured to the deck or otherwise fixed in place shall be provided at the radiotelegraph operation position;
 - (e) a tuning calibration table or calibration curve for each transmitter and receiver forming part of a radiotelegraph installation shall always be available in a radiotelegraph room, unless the transmitter or receiver as the case may be, is directly calibrated;
 - (f) a complete diagram of the wiring of the radiotelegraph installation shall always be available in a radiotelegraph room.
 - (3) In every fishing vessel to which these Rules apply -
 - (a) a reliable clock, equipped with a dial not less than 125 mm in diameter and a sweep seconds hand, the face of which shall be marked to indicate the silence periods, shall be securely mounted in

- such a position that the entire dial can be easily and accurately observed from the operating position of each radio installation;
- (b) instructions giving a clear summary of the radiotelephone distress, urgency and safety procedures shall be displayed in full view of the radiotelephone operating position;
- (c) lighting operated from the reserve source of energy, capable of adequately illuminating the radio installation and the clock required by sub-paragraph (a) above shall be provided, except that where the clock and the radio installation are separate the lighting need only illuminate the radio installation;
- (d) sufficient spare parts, tools and testing equipment appropriate to the vessel to enable the radio installation to be maintained in an efficient working condition while at sea shall be provided.
- (e) the VHF radiotelephone installation shall be in the upper part of the vessel, and control of the VHF channels shall be convenient to the place on board from which the vessel is normally navigated. Instructions giving a clear summary of the distress, urgency and safety procedures shall be displayed at the VHF radiotelephone operation position.

(Subparagraph (e) is inserted by S.I. 1994/1104)

PART III

PROVISION, QUALIFICATIONS AND DUTIES OF RADIO OPERATORS

Provision of radio operators

9.

(2) Every fishing vessel shall be provided with at least two radiotelephone operators.

Qualifications of radio operators

- 10.- (1) For the purposes of these Rules no person shall be qualified to be a radiotelephone operator on board a fishing vessel to which these Rules apply unless he holds -
 - (a) a valid certificate of proficiency or competence in radiotelephony or radiotelegraphy which has been issued by the Secretary of State or by an authority empowered in that behalf by the laws of some part of the Commonwealth or the Irish Republic and recognised by the Secretary of State as the equivalent of such a certificate granted by him; and
 - (b) a valid authority which has been issued by the Secretary of State to operate a wireless telegraphy station or a radiotelephone station established on a ship under a licence issued by him.
- (2) For the purposes of these Rules no person shall be qualified to be a radiotelegraph operator on board a fishing vessel to which these Rules apply unless he holds -
 - (a) a valid certificate of proficiency or competence in radiotelegraphy which has been issued by the Secretary of State or by an authority empowered in that behalf by the laws of some part of the Commonwealth or the Irish Republic and recognised by the Secretary of State as the equivalent of such a certificate granted by him; and
 - (b) a valid authority which has been issued by the Secretary of State to operate a wireless telegraphy station established on a ship under a licence issued by him.
- (3) For the purposes of paragraph (2) above no certificate of proficiency or competence shall be deemed to be valid on any date if granted more than 2 years before that date and either -

- (a) the holder's period or aggregate periods, of experience on that date is less than three months or
- (b) the holder last had experience at a time earlier than 2 years before that date, unless he can satisfy the Secretary of State by reexamination or otherwise that he still possesses all the qualifications described and that his experience with modern equipment is adequate.

For the purpose of this paragraph the expression "experience" means experience as the operator of a radiotelegraph apparatus -

- (i) at sea, as a radio officer or a radiotelegraph operator, or
- (ii) on land, as an operator at an radiotelegraph station maintained on land by the Post Office for communication with ships.

Radio Watch

- 11.- (1) At all times while a fishing vessel to which these Rules apply is at sea, continuous radio watch on 2182 kHz shall be maintained at the place on board from which the fishing vessel is normally navigated. Such watch may be kept by means of a loudspeaker watchkeeping receiver provided with a selective response and complying with the requirements specified in Part III of Schedule 3 to these Rules.
- 11A. (1) In addition to the requirements of Rule 11, at all times while a fishing vessel to which these Rules apply is at sea, continuous radio watch on 156.8 MHz (VHF Channel 16) shall be maintained at the place on board from which the vessel is normally navigated.
 - (2) This radio watch may be discontinued -
 - (a) when the receiver is being used for traffic on a frequency other then 156.8 MHz; or
 - (b) when a watch id being maintained on a frequency other than 156.8 MHz for the purpose of a port operation, vessel movement or safety of navigation service.
- (3) A written summary shall be maintained of all communications relating to distress, urgency and safety received or transmitted on the VHF radiotelephone installation during the radio watch.

(Section 11A is inserted by S.I. 1994/1104)

Duties of radio operators

- 12. (1) Every radio operator on board a fishing vessel to which these Rules apply shall make and keep himself familiar with the radiotelephone distress, urgency and safety procedure as given in the instructions required by Rule 8(3)(b) *and* (e).
- (2) At all times while a fishing vessel to which these Rules apply is at sea, the radio operator, or if there is more than one, the operator designated by the skipper for that purpose, or, if none is designated, the senior radio operator, shall arrange for any batteries which are a source of electrical energy for the radio installation to be tested once a day and brought up to adequately charged condition as required by Rule 4(4) of these Rules as soon as possible and shall take all practicable steps to cause the equipment referred to in these Rules to be properly maintained and, when necessary, to be repaired and adjusted.

Radio log book

- 13.- (1) A radio log book in the form specified in Schedule 6 to these Rules shall be kept at the place where radio watch is maintained in every fishing vessel and shall be available for inspection by any person authorised in that behalf by the *Department of Trade and Industry*. Every radio operator, and every skipper, second hand or crew member carrying out radio watch in accordance with Rule 11 of these Rules shall enter in such log book -
 - (a) his name;
 - (b) the time at which he begins and ends his periods of radio watch;
 - (c) the time at which radio watch is for any reason discontinued, together with the reason, and the time radio watch is resumed;
 - (d) the general sense of all messages received or transmitted by him which relate to distress, urgency and safety; and
 - (e) a record of any incident occurring during his period of radio watch which affects the efficiency of the radio installation.
- (2) In addition to the above requirements, every radio operator shall enter in such log book -
 - (a) a summary of each communication exchanged between the ship station and land or mobile stations;
 - (b) a record of the testing and charging of batteries, and of any repairs carried out to equipment, in accordance with Rule 12(2) of these Rules; and
 - (c) if the instructions from time to time given by the owner of the fishing vessel to the skipper permit, the position of the vessel at least once a day.
- (3) The skipper, or a radio operator designated by the skipper, shall inspect and sign each day's entries in such log book.

(4) The skipper of a fishing vessel shall within 48 hours of the time when the fishing vessel first calls at a port more than 6 months after the first entry is made in the Radio Log Book, or if not practicable within that time, as soon as practicable thereafter, deliver the log book to the superintendent of the nearest Mercantile Marine Office.

(Paragraph (4) is inserted by GC 75/77)

PART IV - PORTABLE RADIO EQUIPMENT

Provision of portable radio equipment

14 The portable radio equipment for survival craft provided on fishing vessels in accordance with Rule 17(8)(a) of the Merchant Shipping (Life-Saving Appliances) Rules 1965⁷ shall comply with the requirements of Schedule 5 to these Rules

Testing of portable radio equipment

- 15. (1) At all times while a fishing vessel which is provided with such portable radio equipment as is referred to in Rule 14 of these Rules is at sea, the skipper or a radio operator designated by the skipper or, if none is designated, the senior radio operator, shall at least once in every 7 days test with its artificial aerial the transmitter forming part of such equipment.
- (2) The skipper or radio operator making the test referred to in paragraph (1) above shall enter the result of the test in the radio log book referred to in Rule 13(1) of these Rules.

S. Clinton Davis,
Parliamentary Under Secretary of State
for Companies, Aviation and Shipping,
Department of Trade.

18th November 1974

14

⁷ S.I. 1965/1105 (1965 II, p. 2940)

SCHEDULE 1

See Rules 1(6), 3 and 4(2)

TRANSITIONAL PROVISIONS WITH RESPECT TO RULES 3 AND 4(2)

- 1. Subject to the provisions of paragraph 2 below, any fishing vessel to which these Rules apply which is provided with radiotelegraph equipment forming part of an existing installation or which is installed within a period of one year after the date on which these Rules come into operation shall not be required to be provided with the equipment specified in Schedule 4 to these Rules if the radiotelegraph equipment provided in the vessel complies with all the requirements of Schedule 2 to the Merchant Shipping (Radio) (Fishing Boats) Rules 1965 which would have been applicable to it if those Rules had not been revoked.
- 2. Nothing in Rule 3 of these Rules shall require the radiotelegraph automatic keying device specified in Part III of Schedule 4 to these Rules to be provided before the expiry of a period of two years after the date on which these Rules come into operation.
- 3. Nothing in Rule 3 of these Rules shall require the radiotelegraph automatic alarm specified in Part IV of Schedule 4 to these Rules to be provided before the expiry of a period of two years after the date on which these Rules come into operation.
- 4. Subject to the provisions of paragraphs 5, 6 and 7 below, any fishing vessel to which these Rules apply which is provided with radiotelephone equipment forming part of a licensed existing installation shall not
 - if the installation complied with all the specifications and requirements set out in Schedule 3 to the Merchant Shipping (Radio) (Fishing Boats) Rules 1965, be required to be provided with the equipment specified in Parts I, II and III of Schedule 3 to these Rules; and
 - (b) if the installation did not so comply, be required to be provided with the equipment specified in Part I of Schedule 3 to these Rules before the expiry of a period of three years after the date on which these Rules come into operation.
- 5. Nothing in paragraph 4 above shall permit -
 - (a) the installation of double sideband equipment after 1st January 1973; or
 - (b) the use of double sideband equipment after 1st January 1982, except for distress purposes.
- 6. Nothing in Rule 3 of these Rules shall require the radiotelephone alarm signal generating device specified in Part II of Schedule 3 to these Rules to be provided before the expiry of a period of one year after the date on which the Rules come into operation.
- 7. Nothing in Rule 3 of these Rules shall require the radiotelephone loudspeaker watchkeeping receiver specified in Part III of Schedule 3 to these Rules to be provided before the expiry of a period of one year after the date on which the Rules come into operation.

- 8. Nothing in Rule 3 of these Rules shall require a fishing vessel to be provided with the reserve radiotelephone installation specified in Part IV of Schedule 3 to these Rules to be provided before the expiry of a period of two years after the date on which the Rules come into operation.
- 9. Subject to the provisions of paragraphs 4, 5, 6 and 7 above, any fishing vessel to which these Rules apply which is provided with the equipment specified in Parts I, II and III of Schedule 3 to these Rules and is also provided with a radiotelephone equipment forming part of an existing installation which complied with all the specifications and requirements of Schedule 3 to the Merchant Shipping (Radio) (Fishing Boats) Rules 1965, shall not be required to be provided with the equipment specified in Part IV of Schedule 3 to these Rules before 1st January 1982.
- 10. Nothing in Rule 4(2) of these Rules shall require the reserve source of electrical energy referred to therein to be provided before the expiry of a period of two years after the date on which the Rules come into operation.

SCHEDULE 2.

LIMITS OF AREA REQUIRED IN CONNECTION WITH RULE 2(1)

- 1. The area is bounded -
 - A. on the South by a line extending along parallel 48° North from the coast of France to its intersection with meridian 15° West;
 - B On the West by a line extending along meridian 15° West to its intersection with parallel 62° North; thence along parallel 62° North to its intersection with meridian 27° 30' West; thence along meridian 27° 30' West to its intersection with parallel 67° 30' North;
 - C. On the North by a line extending along parallel 67° 30' North to its intersection with meridian 7° West, thence along meridian 7° West to its intersection with parallel 64° North; thence along parallel 64° North to its intersection with meridian 5° East; thence along meridian 5° East to its intersection with parallel 73° North; thence along parallel 73° North to its intersection with 28° East;
 - D. on the East by a line extending from the intersection of parallel 73° North and meridian 28° East to the intersection of parallel 70° North and meridian 33° East, and thence along meridian 33° East to the adjacent coast.
- 2. For the purposes of explanation only, the area is shown bounded by a line on the map below :

SCHEDULE 3

Rule 3

RADIOTELEPHONE INSTALLATION:

PART I - MAIN RADIO TELEPHONE INSTALLATION

The main radiotelephone installation shall comply with -

- (a) the requirements for a main equipment given in the Performance Specification for Single Sideband Radiotelephone Transmitting and Receiving Equipment operating in the Frequency Band 1.605 MHz to 4.0 MHz for use in Merchant Ships MPT 1217, issued by the Secretary of State; or
- (b) the Performance Specification for a Single Sideband Radio Equipment for use in Ships Fitted for Telephony in the Band 1605-3800 kHz (TSC 105), issued by the Postmaster General.

PART II - RADIOTELEPHONE ALARM SIGNAL GENERATING DEVICE

The radiotelephone alarm signal generating device shall comply with the Performance Specification for a Radiotelephone Alarm Signal Generating Device (Audio-Frequency) MPT 1212, issued by the Secretary of State.

PART III - RADIOTELEPHONE LOUDSPEAKER WATCHKEEPING RECEIVER

The radiotelephone loudspeaker watchkeeping receiver shall comply with the Performance Specification for a Radio Receiver for Loudspeaker Watchkeeping on 2182 kHz MPT 1203 issued by the Secretary of State.

PART IV - RESERVE RADIOTELEPHONE INSTALLATION

The reserve radiotelephone installation shall comply with -

- (a) the requirements for a reserve equipment given in the Performance Specification for Single Sideband Radiotelephone Transmitting and Receiving Equipment in the Frequency Band 1.605 MHz to 4.0 MHz for use in Merchant Ships MPT 1217, issued by the Secretary of State; or
- (b) the Performance Specification for a Single Sideband Radio equipment for use in Ships fitted for Radiotelephony in the Band 1605-3800 kHz (TSC 105), issued by the Postmaster General, with relaxations from Clause 3.2 permitted in accordance with Appendix I "Operating Frequencies" subparagraph (1) and which has been tested to the requirements of Specification for Climatic and durability testing of maritime radio equipment, MPT 1204.

SCHEDULE 4.

Rule

RADIOTELEGRAPH INSTALLATION:

PART I - RADIOTELEGRAPH TRANSMITTER

The radiotelegraph transmitter shall comply with the Performance Specification for a Main Medium Frequency Radiotelegraph Transmitter for use in Merchant Ships MPT 1202, issued by the Secretary of State.

PART II - RADIOTELEGRAPH RECEIVER

The radiotelegraph receiver shall comply with -

- (a) the Performance Specification for a main Radio Receiver for Double Sideband Reception for use in Merchant Ships MPT 1208, issued by the Secretary of State; or
- (b) the Performance Specification for Radio Receiving Equipment for Double Sideband and Single Sideband Reception of Radiotelegraphy and Radiotelephony for use in Merchant Ships MPT 1201, issued by the Secretary of State.

PART III - RADIOTELEGRAPH AUTOMATIC KEYING DEVICE

The radiotelegraph automatic keying device shall comply with the Performance Specification for an Automatic Keying Device MPT 1219, issued by the Secretary of State.

PART IV - RADIOTELEGRAPH AUTOMATIC ALARM

The radiotelegraph automatic alarm shall comply with the Performance Specification for :-

- (a) a Radiotelegraph Automatic Alarm Receiving Equipment for use in Merchant Ships MPT 1211, issued by the Secretary of State; or
- (b) a Radiotelegraph Automatic Alarm Equipment for Ships, 1964, issued by the Postmaster General.

SCHEDULE 5.

Rule 14

PORTABLE RADIO EQUIPMENT FOR USE IN LIFEBOATS AND LIFERAFTS

Every portable radio equipment for survival craft shall comply with one of the following performance specifications:-

Part I - Man-powered equipment

- (a) a Man-Powered Portable Radio Equipment for Survival Craft 1964, issued by the Postmaster General, as reprinted in 1967;
- (b) a Man-Powered Portable Radio Equipment for Survival Craft MPT 1207, issued by the Secretary of State;

Part II - Battery-powered equipment

- (c) a Compulsory Radiotelephone Distress Equipment suitable for use in Fishing Boats' Survival Craft, 1965 issued by the Postmaster General, as reprinted in 1968;
- (d) a Radiotelephone Equipment operating on the Frequency 2182 MHz for use on Fishing Boat Survival Craft MPT 1205, issued by the Secretary of State.

SCHEDULE 6.

Rule 13

RADIO LOG BOOK

FORM OF RADIOTELEPHONE LOG-BOOK RADIOTELEPHONE LOG

Name of Ship	Offic	cial Number	Port of Registry		Gross Tonnage		
-							
Period covered by	_						
of	_				Office at the Port		
Countersigned	UII ur		•		Master		
Č							
Superintendent							
Name		Home Address		C	Certificate Number		
S.SM.V. SECTION B - DIARY OF THE RADIOTELEPHONE SERVICE							
Date and Time (G.MT.)			ation to	Frequency Used	Record of Working		

(This Note is not part of the Rules.)

These Rules supersede the Merchant Shipping (Radio) (Fishing Boats) Rules 1965 and the Merchant Shipping (Radio) (Fishing Boats) (Amendment) Rules 1969. The principal changes are :-

- (a) All fishing vessels of 12 metres or more in length will be required to be fitted with radiotelephone equipment and to maintain a continuous listening watch on the radiotelephone distress frequency of 2182 kHz, whilst in addition all fishing vessels of 24.4 metres or more in length will be required to carry reserve radiotelephone equipment.
- (b) All fishing vessels of 12 metres or more in length which proceed outside certain areas specified in the Rules will be required to carry radiotelegraph equipment and a qualified radiotelegraph operator.

Amendment to these Rules by SD72/06 Fishing Vessel (Radio) Regulations 2006

These Rules have been amended by SD72/06 to the effect that they **only** apply to fishing vessels over 24 metres in length.

In so far as they applied to vessels under 24 metres in length they have been replaced by the requirements in SD72/06 Fishing Vessel (Radio) Regulations 2006.